

# ICEMAKER | BLUI-150A

L x D x H — 25" x 27<sup>3/4</sup>" x 38<sup>5/8</sup>"



Project: \_\_\_\_\_

Model#: \_\_\_\_\_

Item #: \_\_\_\_\_

Qty: \_\_\_\_\_

Available W/H: \_\_\_\_\_


Approval: \_\_\_\_\_

## STANDARD FEATURES

- BLUI-150A produces up to 150 lbs. of ice daily
- BLUI-150A has 60 lbs. of built in storage capacity
- Units produce individual crescent ice cubes
- Durable stainless steel cabinet
- Stainless steel evaporator
- BLUI-150A equipped with slide in door
- Removable air filter
- Digital Self Diagnostic System (power switch is accessible without panel removal)
- Optional built-in installation
- Environmentally friendly refrigerant (R-134A)
- Energy Star Certified



### Cube Dimensions\*



\*Approximate size in inches, image not to scale.

### Operating Limits

- Ambient Temp Range 45 - 100°F
- Water Temp Range 45 - 90°F
- Water Pressure 28 - 100 PSIG
- Voltage Range 100 - 130V

### Service

- Panels easily removed and all components accessible for service.
- Removable/cleanable air filters.
- Allow 6" (15cm) clearance at rear, sides, and top for proper air circulation and ease of maintenance/service.


### Plumbing

- Icemaker Water Supply Line: Minimum 3/8" Nominal ID Copper Water Tubing or Equivalent
- Icemaker Drain Line: Minimum 3/4" Nominal ID Hard Pipe or Equivalent


\*BLUE AIR has the right to change specifications without further notice.

Condenser	Model	ICE PRODUCTION				KWH per 100 lbs.	Portable Water Gal. per 100 lbs.	Min. Circuit Amperage	Voltage	Shipping Weight (lbs/kg)	Energy Star®
		Air / Water Temp Lbs. per 24 hours		Per Cycle							
		70°/50°F	90°/70°F	Lbs.	Cubes						
Air-Cooled	BLUI-150A	150	109	2.75	130	8.63	14.9	7	115V/60/1	143(65)	★

**TOP VIEW**



**FRONT VIEW**



**SIDE VIEW**

